

# Caregiver Assistance News

*"Caring for You - Caring for Others"*

**Area Agency on Aging District 7, Inc.**

*Serving Adams, Brown, Gallia, Highland, Jackson, Lawrence,  
Pike, Ross, Scioto and Vinton Counties in Ohio*

**www.aaa7.org** **Helping You Age Better!**



**JULY 2019**

## **Summer Storm Emergencies - Hot Weather Safety**

Too much heat is not safe for anyone. It is even riskier if you are older or have health problems. It is important to get relief from the heat quickly. More Americans are killed by hot weather than by any other natural disaster.

### **Heat-Related Illness**

Being hot for too long can cause several illnesses, all grouped under the name hyperthermia. Your risk of developing heat-related illness increases with the heat index, which is a combination of air temperature and humidity. High humidity makes your sweat roll off your skin without evaporating or cooling the body. Wearing too much clothing in warm temperatures also increases your risk of being ill.



Heat illness or hyperthermia occurs when there is an unusual increase in core body temperature. Unlike fever, it does not respond to medications. It is therefore extremely important to recognize early symptoms of heat exhaustion.

Older people have an increased risk of developing heat stress because many of them do not have air-conditioning or fans. Some of them may not be aware of when to get out of the heat, or they may be physically unable to get out of an overheated home.

Other factors that increase one's risk of heat-related illnesses include dehydration, which is common among older adults, and the use of certain medications such as beta blockers. Obese individuals, and those with fever, heart disease, poor circulation, mental illness, and sunburn are also at risk.

**Use a Buddy System** - heat-induced illness can cause a person to become confused or lose consciousness. People who are 65 or older should have someone check on them twice a day during a heat wave.

*(continued on Page 2)*

## Hot Weather Safety *(continued from Page 1)*

### Heat Exhaustion and Heat Stroke

**Heat Exhaustion** is less severe, more common, and occurs when the body becomes severely dehydrated. If left untreated, it leads to heat stroke.

Signs of Heat Exhaustion:

- Heavy sweating • Cold, clammy skin • Dizziness or fainting • A weak and rapid pulse
- Muscle cramps • Fast, shallow breathing • Nausea, vomiting or both

**Heat Stroke** is the most serious heat-related illness. When the body is unable to control its temperature, it rises rapidly and sweating mechanisms fail. Body temperature may rise to 106°F or higher within 10–15 minutes. Heat stroke can cause death or permanent disability if emergency treatment is not provided.

Signs of Heat Stroke:

- Extremely high body temperature (above 103°F) • Red, hot, dry skin (no sweating)
- Rapid, strong pulse • Throbbing headache, dizziness, nausea • Confusion or unconsciousness

These are signs of a life-threatening emergency. Have someone call 911 while you begin cooling the person by getting them to a shady area and cool them rapidly by immersing them in a cool tub of water or shower; spray the person with cool water from a garden hose; sponge the person with cool water. If they are conscious and able to swallow, give cool water or nonalcoholic, decaffeinated beverages.

## Emergency Planning

Recovering from a natural disaster tomorrow often depends on the planning and preparation done today. In addition to the supplies of food, water and first aid kits, consider these precautions:

- ✓ Create a network of friends and neighbors. Show everyone how to operate essential equipment.
- ✓ List the type and model numbers of medical devices, like oxygen tanks and wheelchairs.
- ✓ If the person in your care is in a wheelchair or has mobility problems, plan for how they will evacuate.
- ✓ For blind or visually impaired persons, keep an extra cane by the bed and attach a whistle to it.
- ✓ For hearing impaired, store hearing aids in a container attached to the nightstand or bedpost so they can be located quickly.
- ✓ Have ID information for the person as well as copies of emergency documents, evacuation plans and emergency health information card.
- ✓ Ask your doctor about stocking up on a week's supply of all prescription medication.
- ✓ Know where the first-aid kit and emergency supplies are located.
- ✓ Make a communication plan with an out-of-state contact so you will know how to contact one another.
- ✓ Designate a backup provider in case you can't reach the person in your care.

In an emergency, Alzheimer or dementia patients can sense when something is wrong. Remain calm, explain what is happening simply, and give clear directions.

Source: CDC; FEMA; [www.agingcare.com](http://www.agingcare.com)

# TAKING CARE OF YOURSELF

## Stay Hydrated, Stay Safe

Not drinking enough fluids increases the risk of falling. In addition, the dizziness, as a sign of heat exhaustion, can cause a fall.

While being properly hydrated is always important, in summer heat it can be lifesaving. Our natural sense of thirst diminishes with age, so it is important to drink water “by the clock,” as you would schedule crucial medications. This allows better absorption of nutrients from foods as well as medications, and reduces the risk of dehydration. Dehydration, especially in older adults, can increase confusion and muscle weakness and cause nausea. Nausea, in turn, will prevent the person from wanting to eat, thereby causing more dehydration. Avoid serving caffeine and alcohol, which cause frequent urination and dehydration.

*Source: NIH News In Health, Department of Health and Human Services; CDC*



## Memory Care

People with Alzheimer’s are more likely to experience dehydration. They often forget to drink, have difficulty swallowing, or may not be able to express their needs. Some may avoid taking fluids if they are incontinent. Dehydration is a major reason why many adults suffering from dementia are treated in the emergency room.



## Kinship/Grandparent Caregivers We Need Your Voice!!!

The Caregiver Support Program at the Area Agency on Aging District 7 (AAA7) wants to hear feedback from you – what you need and how you can be better supported.



If you are raising a grandchild or other relative because their own parents are unable or unavailable to care for them, please take a few moments to log on to our website to take a special survey and share with us what you need and how we can help. If you know someone in this role, please share the survey information with them.

**Find the survey at the AAA7’s website on the Home Page:  
[www.aaa7.org](http://www.aaa7.org)**



**Area Agency on Aging District 7, Inc.**

F32-URG, PO Box 500 • 160 Dorsey Drive • Rio Grande, OH 45674-0500

Toll-Free Number: (800) 582-7277 • TTY: 711 (Relay Ohio)

Website: [www.aaa7.org](http://www.aaa7.org) • E-Mail: [info@aaa7.org](mailto:info@aaa7.org) • Facebook: [www.facebook.com/AreaAgencyOnAgingDistrict7](https://www.facebook.com/AreaAgencyOnAgingDistrict7)

*Your local Area Agency on Aging District 7, Inc. serves the following counties in Ohio: Adams, Brown, Gallia, Highland, Jackson, Lawrence, Pike, Ross, Scioto and Vinton. Services are rendered on a non-discriminatory basis. Those interested in learning more about the services provided through the Area Agency on Aging District 7 can call toll-free at 1-800-582-7277. Here, individuals can talk directly with a trained Resource Specialist who will assist them with information surrounding the programs and services that are available to best serve their needs. The Agency can also be reached via e-mail at [info@aaa7.org](mailto:info@aaa7.org).*

## **Safety Tips - Before a Blackout - Be Prepared**

Losing electrical power often means losing more than lights: refrigeration, water supplies, and cell phones all depend on a power supply. If you are warned of a coming blackout:

- Keep electricity use as low as possible to help power companies avoid rolling blackouts.
- Fill plastic containers with water and freeze them. Leave about an inch of space inside each one, because water expands as it freezes. This ice will help keep food cold during a power outage.
- Most medication that needs refrigeration can be kept in a closed refrigerator for several hours without a problem. If unsure, check with your physician or pharmacist.
- Keep your vehicle's gas tank at least half full because gas stations rely on electricity to power their pumps.
- Know where the manual release lever of the electric garage door opener is located and how to operate it. Garage doors are heavy, so you may need help to lift it. Always keep the garage door key with you.

